

EAST Search History

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
L1	594	70319 70310	US-PGPUB; USPAT; USOCR; FRS; EPO; DERWENT; IBM_TDB	OR	ON	2008/01/09 13:02
L2	2977	unique with coefficient	US-PGPUB; USPAT; USOCR; FRS; EPO; DERWENT; IBM_TDB	OR	ON	2008/01/09 13:02
L3	5	L1 and L2	US-PGPUB; USPAT; USOCR; FRS; EPO; DERWENT; IBM_TDB	OR	ON	2008/01/09 13:02
L4	55414	multiple with interface	US-PGPUB; USPAT; USOCR; FRS; EPO; DERWENT; IBM_TDB	OR	OFF	2008/01/09 13:02
L5	2001348	fluids	US-PGPUB; USPAT; USOCR; FRS; EPO; DERWENT; IBM_TDB	OR	ON	2008/01/09 13:02
L6	6354	euler\$4 eulerian\$10	US-PGPUB; USPAT; USOCR; FRS; EPO; DERWENT; IBM_TDB	OR	ON	2008/01/09 13:02
L7	1302	L6 and L5	US-PGPUB; USPAT; USOCR; FRS; EPO; DERWENT; IBM_TDB	OR	ON	2008/01/09 13:02
L8	128	prime and L7	US-PGPUB; USPAT; USOCR; FRS; EPO; DERWENT; IBM_TDB	OR	ON	2008/01/09 13:02

EAST Search History

L9	19	L6 and L1	US-PGPUB; USPAT; USOCR; FRS; EPO; DERWENT; IBM_TDB	OR	ON	2008/01/09 13:02
L10	9	fluids and L9	US-PGPUB; USPAT; USOCR; FRS; EPO; DERWENT; IBM_TDB	OR	OFF	2008/01/09 13:02
L11	1885	simulac\$4 with fluids	US-PGPUB; USPAT; USOCR; FRS; EPO; DERWENT; IBM_TDB	OR	OFF	2008/01/09 13:02
L12	2	simulac\$4 with L11	US-PGPUB; USPAT; USOCR; FRS; EPO; DERWENT; IBM_TDB	OR	OFF	2008/01/09 13:02
L13	870	unique and identif\$4 and fluid and flow and quadrab	US-PGPUB; USPAT; USOCR; FRS; EPO; DERWENT; IBM_TDB	OR	ON	2008/01/09 13:02
L14	2	L1 and L13	US-PGPUB; USPAT; USOCR; FRS; EPO; DERWENT; IBM_TDB	OR	ON	2008/01/09 13:02
L15	500	cell and L7	US-PGPUB; USPAT; USOCR; FRS; EPO; DERWENT; IBM_TDB	OR	ON	2008/01/09 13:02
L16	13	L1 and L4	US-PGPUB; USPAT; USOCR; FRS; EPO; DERWENT; IBM_TDB	OR	OFF	2008/01/09 13:02
L17	18	fluids and L9	US-PGPUB; USPAT; USOCR; FRS; EPO; DERWENT; IBM_TDB	OR	ON	2008/01/09 13:02

EAST Search History

L18	141	SIMULATION with DYNAMIC and MOVEMENT with FLUID	US-PGPUB; USPAT; USOCR; FPRS; EPO; DERWENT; IBM_TDB	OR	ON	2008/01/09 13:02
L19	359	fluids1 with L4	US-PGPUB; USPAT; USOCR; FPRS; EPO; DERWENT; IBM_TDB	OR	OFF	2008/01/09 13:02
L20	0	L1 and L19	US-PGPUB; USPAT; USOCR; FPRS; EPO; DERWENT; IBM_TDB	OR	OFF	2008/01/09 13:02

Google Search Notes

gen3.txt

Jan 9, 2008

Searched for (multiply) label reservoir model (fluid OR liquid OR water OR oil) (model simulation OR simulator) (microgrid OR grid OR macrogrid OR (micro OR macro) OR grid OR micro-grid OR macro-grid)

Searched for (multiply) label reservoir model (fluid OR liquid OR water OR oil) (model simulation OR simulator) (microgrid OR grid OR macrogrid OR (micro OR macro) OR grid OR micro-grid OR macro-grid) - Viewed 2 resultsViewed 2 results

Not started Constructing Reservoir Flow Simulator Promises Using Genetic ... -
hindawi.com - Bookmark: edit - remove

Labels:
Notes:
www.hindawi.com/getPDF.aspx?doi=10.1155/2008/263108

Not started Fluid Flow Modeling in Fractures - mt.edu - Bookmark: edit -
remove

Labels:
Notes:
www.eaps.mit.edu/erl/research/-report/pdf2004/sarkar.pdf

Searched for (multiply) label (fluid OR liquid OR water OR oil) (model simulation OR simulator) (microgrid OR grid OR macrogrid OR (micro OR macro) OR grid OR micro-grid OR macro-grid) - Viewed 2 resultsViewed 2 results

Not started Using an Effective Continuum Model for Flow and Transport in ... -
osti.gov - Bookmark: edit - remove

Labels:
Notes:
www.osti.gov/.../publ/764368-mhVcp/-webviewable/764368.pdf

Not started Method for estimating and/or reducing uncertainty in... -
patentstorm.us - Bookmark: edit - remove

Labels:
Notes:
www.patentstorm.us/patents/-7254091-description.html

Page 1

gen3.txt

Searched for (multiple OR product) label (fluid OR liquid OR water OR oil) (model simulation OR simulator) (microgrid OR grid OR macrogrid OR (micro OR macro) OR grid OR micro-grid OR macro-grid) - Viewed 2 resultsViewed 2 results

Not started Journal of Hydrology : A mathematical model for estimating... -
elsevier.com - Bookmark: edit - remove

Labels:
Notes:
linkinghub.elsevier.com/-retrieve/pii/S0022169498002613

Not started An interactive simulator for maintenance Training - jhuapl.edu -
Bookmark: edit - remove

Labels:
Notes:
www.jhuapl.edu/techdigest/-td2701/Koczajka.pdf

Searched for (fluid OR liquid OR water OR oil) (model simulation OR simulator) (microgrid OR grid OR macrogrid OR (micro OR macro) OR grid OR micro-grid OR macro-grid)

Page 2

Google Search Notes
Sep 11, 2006
A fast modular semi-Lagrangian method for moving interfaces
portal.acm.org/citation.cfm?id=349894dl-acmco... - Bookmark: edit - remove
Labels:
Notes:
portal.acm.org/citation.cfm?id=349894dl-acmco...
reconstructing volume tracking rider mod OR modular
A Fast and Accurate Semi-Lagrangian Particle Level Set Method
graphics.stanford.edu/.../publications/sl-pls/sl-pls.pdf - Bookmark: edit - remove
Labels:
Notes:
graphics.stanford.edu/.../publications/sl-pls/sl-pls.pdf
"Micro cell" advect fluid
The surface marker and micro cell method
dx.doi.org/10.1002/(SICI)1097-0363(19971015)25:7B3C749:... - Bookmark: edit - remove
Labels:
Notes:
dx.doi.org/10.1002/(SICI)1097-0363(19971015)25:7B3C749:....
"Time-dependent multi-material flow with large fluid distortion"
Computational Fluid Dynamics Group | Research Areas
www.lanl.gov/orgs/c/t3/secondlevel/resources.shtml - Bookmark: edit - remove
Labels:
Notes:
www.lanl.gov/orgs/c/t3/secondlevel/resources.shtml
The three-dimensional Eulerian-Lagrangian marker and
portal.acm.org/citation.cfm?id=1066462dl-acmco... - Bookmark: edit - remove
Labels:
Notes:
portal.acm.org/citation.cfm?id=1066462dl-acmco...
"Microcell" advect fluid
http://freshpatents.com/N-phase-interface-tracking-method-utiliz...
1:21pm
- Bookmark: edit - remove
Labels:
Notes:
freshpatents.com/N-phase-interface-tracking-method-utiliz...
A volume-tracking method for incompressible multifluid flows
A volume-tracking method for incompressible multifluid flows with ... - 2 visits
dx.doi.org/10.1002/(SICI)1097-0363(19980815)28:2B3C357:.... - Bookmark: edit - remove
Labels:
Notes:
dx.doi.org/10.1002/(SICI)1097-0363(19980815)28:2B3C357:....
Searches with no clicked results:
Time-dependent multi-material flow with large fluid distortion? Eulerian - quadratic generator",
"Eulerian quadratic generator", "Eulerian quadratic number generator", "Eulerian quadratic number
generator, "Microcell" OR "macrocell" OR "microcell" overlay advect fluid, "Microcell" overlay advect
fluid, "macro cell" OR "macrocell" overlay advect fluid, macro micro cell grid overlay advect fluid
Page 1

Google Search Notes
Sep 11, 2006
A fast modular semi-Lagrangian method for moving interfaces
portal.acm.org/citation.cfm?id=349894dl-acmco... - Bookmark: edit - remove
Labels:
Notes:
portal.acm.org/citation.cfm?id=349894dl-acmco...
reconstructing volume tracking rider mod OR modular
A Fast and Accurate Semi-Lagrangian Particle Level Set Method
graphics.stanford.edu/.../publications/sl-pls/sl-pls.pdf - Bookmark: edit - remove
Labels:
Notes:
graphics.stanford.edu/.../publications/sl-pls/sl-pls.pdf
"Micro cell" advect fluid
The surface marker and micro cell method
dx.doi.org/10.1002/(SICI)1097-0363(19971015)25:7B3C749:... - Bookmark: edit - remove
Labels:
Notes:
dx.doi.org/10.1002/(SICI)1097-0363(19971015)25:7B3C749:....
"Time-dependent multi-material flow with large fluid distortion"
Computational Fluid Dynamics Group | Research Areas
www.lanl.gov/orgs/c/t3/secondlevel/resources.shtml - Bookmark: edit - remove
Labels:
Notes:
www.lanl.gov/orgs/c/t3/secondlevel/resources.shtml
The three-dimensional Eulerian-Lagrangian marker and
portal.acm.org/citation.cfm?id=1066462dl-acmco... - Bookmark: edit - remove
Labels:
Notes:
portal.acm.org/citation.cfm?id=1066462dl-acmco...
"Microcell" advect fluid
http://freshpatents.com/N-phase-interface-tracking-method-utiliz...
1:21pm
- Bookmark: edit - remove
Labels:
Notes:
freshpatents.com/N-phase-interface-tracking-method-utiliz...
A volume-tracking method for incompressible multifluid flows
A volume-tracking method for incompressible multifluid flows with ... - 2 visits
dx.doi.org/10.1002/(SICI)1097-0363(19980815)28:2B3C357:.... - Bookmark: edit - remove
Labels:
Notes:
dx.doi.org/10.1002/(SICI)1097-0363(19980815)28:2B3C357:....
Searches with no clicked results:
Time-dependent multi-material flow with large fluid distortion? Eulerian - quadratic generator",
"Eulerian quadratic generator", "Eulerian quadratic number generator", "Eulerian quadratic number
generator, "Microcell" OR "macrocell" OR "microcell" overlay advect fluid, "Microcell" overlay advect
fluid, "macro cell" OR "macrocell" overlay advect fluid, macro micro cell grid overlay advect fluid
Page 2

```

gsn2.txt
216474 ComMechanicsFlyer - 5:23pm
www.svri.org/4org/d18/engdyn/flyrpdfs/commach.pdf - Bookmark: edit - remove

Labels:
www.svri.org/4org/d18/engdyn/flyrpdfs/commach.pdf

Labels:
Notes:
The COUPLED AEROSOL AND TRACER TRANSPORT MODEL TO THE BRAZILIAN ... - 5:22pm
gemini.dpi.inpe.br/.../2005/10.31.17.49/doc/101-108.pdf - Bookmark: edit - remove

interface "Freitas Christopher " filetype:pdf

Labels:
Notes:
gemini.dpi.inpe.br/.../2005/10.31.17.49/doc/101-108.pdf
www.mbe.doe.gov/me70/nepdg/-National120Energy120Policy42... - 5:19pm
William, Ronald L - 5:19pm
www.mbe.doe.gov/me70/nepdg/-National120Energy120Policy42... - Bookmark: edit - remove

Labels:
Notes:
www.mbe.doe.gov/me70/nepdg/-National120Energy120Policy42...
Kallihar, Joseph - 5:19pm
www.mbe.doe.gov/me70/nepdg/-National120Energy120Policy42... - Bookmark: edit - remove

Labels:
Notes:
www.mbe.doe.gov/me70/nepdg/-National120Energy120Policy42...
Nonlinear transient phenomena in a three-dimensional cavity flow: A numerical investigation
Non-linear transient phenomena in a complex recirculating flow - A ... - 5:17pm
adsabs.harvard.edu/abs/1988JNMFF...8..769P - Bookmark: edit - remove

Labels:
Notes:
adsabs.harvard.edu/abs/1988JNMFF...8..769P

The three-dimensional Eulerian-Lagrangian marker and
The three-dimensional Eulerian-Lagrangian marker and micro cell ... - 4 visit
portal.acm.org/citation.cfm?id=1066462dl-acm:ac... - Bookmark: edit - remove

Labels:
Notes:
portal.acm.org/citation.cfm?id=1066462dl-acm:ac...
"Interface Tracking" "Micro Cell"
The three-dimensional Eulerian-Lagrangian marker and micro cell ... - 4 visit
portal.acm.org/citation.cfm?id=1066462dl-acm:ac... - Bookmark: edit - remove

Labels:
Notes:
portal.acm.org/citation.cfm?id=1066462dl-acm:ac...
TOMIYAMA NAKAHARA "microcell" OR "micro cell"
Asia-specific abstracts - IEEE Microwave and Wireless Components ... - 3:25pm
ieeexplore.ieee.org/iel5/7260/21005/00974560.pdf - Bookmark: edit - remove

Labels:
Notes:
ieeexplore.ieee.org/iel5/7260/21005/00974560.pdf
Current Opinion in Oncology - Fulltext: Volume 14(3) MAY 2002 P ... - 3:25pm
www.oncology.com/pu/tet/concology/fulltext.00001622... - Bookmark: edit - remove

Labels:

```

```

Notes:
www.co-oncology.com/pt/-ref/econcoology/fulltext.00001622...-
    gan2.txt
PCT/2004/39 ; PCT Gazette, Weekly Issue No. 39, 2004      -      3:25pm
www.wipo.org/edocs/pctdocs/en/2004/pct_2004_39-section3.pdf - Bookmark: edit - remove
Labels:
Notes:
www.wipo.org/edocs/pctdocs/en/2004/pct_2004_39-section3.pdf
http://freshpatents.com/N-phase-interface-tracking-method-utiliz ... - 2 visits
- Bookmark: edit - remove
Labels:
Notes:
freshpatents.com/N-phase-interface-tracking-method-util...
an interface tracking method based on volume tracking in embedded micro cells
AN INTERFACE TRACKING METHOD BASED ON VOLUME TRACKING IN MICRO ... - 2 visits
3:24pm
members.jcom.home.ne.jp/.../~bsvvlm/vlinda06.pdf - Bookmark: edit - remove
Labels:
Notes:
members.jcom.home.ne.jp/.../~bsvvlm/vlinda06.pdf
Searches with no clicked results:
Trace trigger debug single, trace trigger debug , journal, unique identifier fluid flow quadratic ,
Fraitsas unique identifier fluid flow quadratic , Fraitsas unique identifier fluid flow quadratic
filetypespdf, Fraitsas unique identifier fluid flow filetypespdf, Fraitsas unique identifier fluid
filetypespdf, Fraitsas unique identifier filetypepdf, Fraits "macro call" OR "microcell" filetypepdf,
Fraitsas filetypepdf, "susanne lo", "Fraitsas Christopher" OR "Christopher Fraitsas" OR "Fraitsas c j" ...,
Fraitsas, Christopher" OR "Christopher Fraitsas" OR "Fraitsas c j" ..., "Fraitsas, Christopher" OR "Fraitsas c
j" ..., "Fraitsas, Christopher" OR "Christopher Fraitsas" OR "Fraitsas c j" ..., "Fraitsas, Christopher" OR "Fraitsas c
j" ..., "Fraitsas, Christopher" OR "Christopher Fraitsas" OR "Fraitsas c j" ..., TOMIYAMA AND NAKAHARA, AN INTERFACE TRACKING METHOD BASED
ON VOLUME TRACKING IN EMBEDDED ...

```